Contents of Volume 39 · 1997

Abed S, Boileau S, Bouteiller L, Lacoudre N: Supramolecular association of acid terminated polydimethylsiloxanes. 1. Synthesis and characterization 317
Abetz V → Bronstein L
Açıkkaya N → Bıçak N
Ahn K-D → Kim S-T
Akao H → Kurita K
Albérola ND → Lesueur D
Ali DA → El-Shekeil AG
Andrade CT → Azero EG
Anžlovar A, Anžur I, Malavašič T: Kinetics of formation of polyurethane/polymethylmethacrylate grafted semi-interpenetrating polymer networks based on the functional prepolymers 339
Anžur I → Anžlovar A
Aoki H, Horinaka J-i, Ito S, Yamamoto M: Local motion of crosslinks for poly(methyl methacrylate) gels by the fluorescence depolarization method 109
Arnal ML → Müller AJ
Asha SK, Ray PC, Ramakrishnan S: Odd-even oscillations of SHG efficiencies in twin NLO chromophores 481
Audebert P, Divisia-Blohorn B, Cohen-Addad JP: Electroactive probe diffusion through DMF/polyacrylonitrile gels: free volume behaviour 225
Audebert R → Rouault Y
Ayal HA → Rabagliati FM
Azero EG, Lopes LL, Andrade CT: Extraction and solution properties of the galactomannan from the seeds of *Cassia javanica* L. 621

Babak V → Desbrières J
Baik DH, Kim GL, Park YH, Lee Y, Son Y: Effect of copolyester structure on the conductivity of polypyrrole/copolyester composite films 473
Balımtas NK → Okay O
Baruzzi G → Collina G
Batsberg W → Gao B
Bıçak N, Açıkkaya N, Koza G: Controlled conversion of polyacrylamide into polyacrylic acid 459
Bianco B, Castaldo L, del Gaudio A, Maglio G, Palumbo R, La Cara F, Peluso G, Petillo O: Biocompatible α-aminoacids based aliphatic polyamides 279
Bistac S, Muller F, Schultz J: Investigation of adhesive performances by scanning force microscopy 613
Block LH → Sabnis S
Boileau S → Abed S
Bouteiller L → Abed S
Breiner U → Bronstein L
Bronstein L, Seregina M, Valetsky P, Breiner U, Abetz V, Stadler R: Transition metal complex induced morphology change in an ABC-triblock copolymer 361
Burillo G, Mendoza R, Fomine S, Ogawa T: Grafting of side chain liquid crystal monomers onto polyethylene film 489
Buyle Padias A → Toplikar EG

Camino G → Lesueur D
Canessa GS → Pooley SA
Cardinaud D → Richard G
Castaldo L → Bianco B
Cerda G → Tagle LH
Cerrai P, Cristallini C, Del Chicca MG, Guerra GD, Maltinti S, Sbarbati-DelGuerra R, Tricoli M: Hydrolysis of poly(ester-ether-ester) block copolymers in the presence of endothelial cells: in vitro modulation of endothelin release 53
Cerrai P, Guerra GD, Maltinti S, Tricoli M: Poly(allylammonium acrylate) as a drug-releasing matrix. I. Release of drugs mixed and sintered with the polyelectrolyte complex 707
Cerrai P, Guerra GD, Maltinti S, Tricoli M: Poly(allylammonium acrylate) as a drug-releasing matrix. II. Release of drugs entrapped into the polysalt structure 715
Chan HSO → Ong CH
Chan WL → Szeto YS
Chebunin MV → Novokshonova LA
Chen D, Wu L, Chen Q, Yu X: A novel side chain liquid crystalline polyester for nonlinear optics 157
Chen Q → Chen D
Chen X → Gao B
Chiantore O → Lazzari M
Cho W-J → Choi W-M
Choi W-M, Lee N-J, Lee Y-W, Ha C-S, Cho W-J: Syntheses and biological activities of 5′-*O*-methacryloyl-3′-azido-3′-deoxythymidine and its polymers 535
Chujo Y → Matsumi N
Chujo Y → Tamaki R
Cohen-Addad JP → Audebert P
Colin X → Lesueur D
Collina G, Pelliconi A, Sgarzi P, Sartori F, Baruzzi G: Highly flexible heterophasic copolymers through the novel multicatalysts reactor granule technology 241
Costa DMR → Vieira A
Coutinho FMB → de Fátima V. Marques M

Coutinho FMB, Luna Xavier JL: Ethylene-propylene copolymers by a supported Ziegler-Natta catalyst based on $TiCl_4/MgCl_2$ 133
Cristallini C → Cerrai P

de Fátima V. Marques M, Henriques CA, Monteiro JLF, Menezes SMC, Coutinho FMB: Ethylene polymerization with Cp_2ZrCl_2 supported on dealuminated Y zeolite 567
del C Pizarro G, Marambio OG, Rivas BL, Geckeler KE: Synthesis, characterization, and thermal stability of poly(*N*-maleyl glycine-*co*-*N*-vinylpyrrolidone) 165
Del Chicca MG → Cerrai P
del Gaudio A → Bianco B
Desbrières J, Rinaudo M, Babak V, Vikhoreva G: Surface activity of water soluble amphiphilic chitin derivatives 209
Deyan S → Yanxiang W
Dhanalakshmi K, Sundararajan G: Microwave assisted polymerisation of phenylacetylenes 333
Diaz FR → Tagle LH
Dick YP → Suarez PAZ
Divisia-Blohorn B → Audebert P
Duval M → Meistermann L

El-Shekeil AG, Hamid S-A MK, Ali DA: Synthesis and characterization of some polyazomethine conducting polymers and oligomers 1
Endo T → Lee J-C
Endo T → Miyaki N
Endo T → Okazaki T
Endo T → Takagi K
Espejo E → Pooley SA

Feast WJ, Hamilton LM, Rannard S: The influence of laser power on the observed MALDI-TOF mass spectra of poly(diethyl 3-hydroxyglutarate), an AB_2 hyperbranched aliphatic polyester; Mn from MALDI-TOF MS?, Caveat Emptor 347
Feijoo JL, Sánchez JJ, Müller AJ: The phenomenon of double yielding in blown polyethylene films 125
Fekete E, Peredy Z, Földes E, Karasz FE, Pukánszky B: Effect of specific-interactions on film casting of high temperature polymers 93
Ferrer D → Maspoch MLl
Földes E → Fekete E
Fomine S → Burillo G

Gancheva V → Van Caeter P
Gao B, Chen X, Iván B, Kops J, Batsberg W: Synthesis of triblock and random copolymers of 4-acetoxystyrene and styrene by living atom transfer radical polymerization 559
Gavrilov YA → Novokshonova LA
Geckeler KE → del C Pizarro G
Gnecco S, Pooley A, Lefimil C, Pino C, Valenzuela L: Chlorination of low-molecular-weight *Euphorbia lactiflua* natural rubber 605
Goethals EJ → Van Caeter P
Goh SH → Lu ZH
Goh SH → Ong CH
Goh SH → Zheng J
Gopp U → Schöch M
Grando J → Maspoch MLl
Guarrotxena N, Millán J: On a novel molecular microstructure based approach to the extrinsic space charges releasing in polypropylene (PP) 639
Guerra GD → Cerrai P

Ha C-S → Choi W-M
Ha C-S → Lee W-K
Haack V, Köhl R, Klemm E: Investigations on synthesis and polymerization of difunctional 7-membered cyclic ketenacetals 271
Hall Jr. HK → Toplikar EG
Hamid S-A MK → El-Shekeil AG
Hamilton LM → Feast WJ
Hara S-I → Kubo M
Hasegawa K → Kanbara T
Hatada K → Lazzari M
Haucke G → Koschella A
Hayashi H → Tsuruta N
Hayashi T → Yoshimoto J
He S → Lazzari M
Heinze T → Koschella A
Henriques CA → de Fátima V. Marques M
Herman MS → Toplikar EG
Hernández ZH → Müller AJ
Hirahata W → Tsuda K
Hirao A → Tsuda K
Horinaka J-i → Aoki H

Ikai S → Murakami M
Iliopoulos I → Rouault Y
Inui K, Okumura H, Miyata T, Uragami T: Characteristics of permeation and separation of dimethyl acrylamide-methyl methacrylate random and graft copolymer membranes for a benzene/cyclohexane mixture 733
Ishizone T → Tsuda K
Itho Y → Suga Y
Ito S → Aoki H
Itoh T → Kubo M
Iván B → Gao B
Iversen C, Kjøniksen A-L, Nyström B, Nakken T, Palmgren O, Tande T: Linear and nonlinear rheological responses in aqueous systems of hydrophobically modified chitosan and its unmodified analogue 747

Jang J → Shin S
Jedliński Z → Shuai X
Jiang X → Lee W-K
Jin B → Wei X
Jin S-H → Kim H-D
Jo WH → Youk JH
Jordan RF → Kim I
Jung M-H → Kim S-T

Kajiyama T → Lee W-K
Kakuchi T → Tsuda K
Kanbara T, Ohshima S, Hasegawa K, Takeuchi S: Preparation and characterization of poly(9-hexylcarbazole-3,6-diylbutadiynylene) 453
Karasz FE → Fekete E
Karger-Kocsis J, Moskala EJ: Relationships between molecular and plane-stress essential work of fracture parameters in amorphous copolyesters 503
Katzenberg F, Petermann J: Oriented overgrowth of vapour deposited tin on highly oriented PTFE substrates 761
Kim GL → Baik DH
Kim H-D, Jin S-H, Lee SB, Yang J-S: Interpolymer complex formation between form I helical and form II helical poly(L-proline) and poly(carboxylic acids) 45
Kim H, Zin W-C: Molecular packing of poly(azomethine)s having flexible (*n*-alkyloxy)methyl side chains in films 701
Kim I, Jordan RF: In situ activation of *rac*-(SBI)Zr(NMe_2)$_2$ for the polymerization of propylene 325
Kim J-B → Kim S-T
Kim S-T, Kim J-B, Jung M-H, Ahn K-D: Copolymers of camphorsulfonyloxymaleimide and *t*-BOC protected vinyllactams for applications as single-component resists 423
Kitayama T → Lazzari M
Kjøniksen A-L → Iversen C
Klemm E → Haack V
Kobayashi M → Kurita K
Köhl R → Haack V
Komatsu A → Yoshimoto J
Kops J → Gao B
Koschella A, Haucke G, Heinze T: New fluorescence active cellulosics prepared by a convenient acylation reaction 597
Kovaleva NY → Novokshonova LA
Koza G → Bıçak N
Krasheninnikov VG → Novokshonova LA
Kubo M, Takeuchi H, Hara S-I, Mouri N, Itoh T: Synthesis of cyclophane carrying poly(acrylic acid) chains and its complexation behavior 431
Kurita K, Akao H, Kobayashi M, Mori T, Nishiyama Y: Regioselective introduction of β-galactoside branches into chitosan and chitin 543

La Cara F → Bianco B
Lacoudre N → Abed S
Lai N → Wang C-S
Larichev MN → Novokshonova LA
Lazzari M, Kitayama T, He S, Hatada K, Chiantore O: The effect of stereoregularity on the thermal behavior of poly(methacrylic acid)s. I. Thermal analysis studies 85
Lee D-C → Shin S-M
Lee J-C, Tomita I, Endo T: Rearrangement of the main chain of the organocobalt polymers. 2. Synthesis of novel poly(pyridinediyl-*alt*-biphenyl-4,4′-diyl) by the reaction with nitriles (1) 415
Lee M, Park K-S: Synthesis of side chain liquid crystalline poly(vinyl ether)s containing 2,2′-dimethyl-4-methoxy-4′-[undecanyloxy-4-benzoyl]ester biphenyl side group 149
Lee N-J → Choi W-M
Lee SB → Kim H-D
Lee SY → Lu ZH
Lee SY → Zheng J
Lee W-K, Yoon J-S, Tanaka K, Satomi N, Jiang X, Takahara A, Ha C-S, Kajiyama T: Relationships between lateral force and viscoelastic properties for amorphous polymer films based on lateral force microscopy 369
Lee Y → Baik DH
Lee Y-W → Choi W-M
Lefimil C → Gnecco S
Leipunskii IO → Novokshonova LA
Lesueur D, Colin X, Camino G, Albérola ND: Dynamic mechanical behaviour and thermal degradation of undoped polyaniline 755
Lewis CM, Mathias LJ: Preliminary evaluation of polyesters with pendent adamantyl groups synthesized from 5-adamantylisophthalic acid and 1,4-butanediol 15
Li C-J → Wang D
Li CS → Szeto YS
Licea-Claverie A, Rivero IA, Morales MS, Moreno MG: Synthesis, characterization and use of reactive polymers with diisopropylphenylphosphine groups 551
Lin C-S → Wang C-S
Liu T-J → Wang D
Lopes LL → Azero EG
Lu ZH, Goh SH, Lee SY: Synthesis of fullerene-containing poly(alkyl methacrylate)s with narrow polydispersities 661
Lucas EF, Silva CX, Pereira GS: Influence of the structure and composition on surface tension of aqueous solution of graft copolymers of polyacrylamide backbone and polyalkyleneoxide branches 73
Luna Xavier JL → Coutinho FMB

Madkour TM, Mark JE: Properties of thermoplastic elastomeric polypropylene. Simulations of the effects of molecular weight and molecular weight distribution 385
Maglio G → Bianco B
Malavašič T → Anžlovar A
Maltinti S → Cerrai P
Marambio OG → del C Pizarro G
Mark JE → Madkour TM
Martinez AB → Maspoch MLl
Martínez AB → Santana OO
Maruyama K → Tsubokawa N
Maspoch MLl → Santana OO
Maspoch MLl, Santana OO, Grando J, Ferrer D, Martinez AB: The essential work of fracture of a thermoplastic elastomer 249
Mathias LJ → Lewis CM
Matsumi N, Chujo Y: Synthesis of novel organoboron polymers by haloboration polymerization of bisallene compounds and their reactions 295
Maturana HA → Rivas BL
Meistermann L, Duval M, Tinland B: Self-diffusion coefficient studies in polystyrene/polystyrene/toluene solutions: Dynamic light scattering and fluorescence recovery after photobleaching experiments 101
Mendoza R → Burillo G
Menezes SMC → de Fátima V. Marques M
Millán J → Guarrotxena N
Mingotaud A-F → Richard G
Miyaki N, Tomita I, Endo T: Palladium-catalyzed three-component coupling. Polymerization of diyne, aryl dihalide, and hydride 677
Miyata T → Inui K
Monteiro EEC → Thaumaturgo C
Monteiro JLF → de Fátima V. Marques M
Morales MS → Licea-Claverie A
Moreno MG → Licea-Claverie A
Moreno-Villoslada I → Rivas BL
Mori T → Kurita K
Moskala EJ → Karger-Kocsis J
Moszner N, Zeuner F, Rheinberger V: Monomers for adhesive polymers. 1. Synthesis and radical polymerization of bicyclic monomers 669
Mouri N → Kubo M
Müller AJ → Feijoo JL
Müller AJ, Hernández ZH, Arnal ML, Sánchez JJ: Successive self-nucleation/annealing (SSA): A novel technique to study molecular segregation during crystallization 465
Muller F → Bistac S
Murakami M, Ikai S, Yano T: Effective catalysts for polymerization of cyclohexene oxide: Preparation of novel Martin-type pentacoordinate silicates 573
Naghash HJ → Okay O
Naka K → Tamaki R
Nakaoki T → Tsuruta N
Nakken T → Iversen C
Nishinaga A → Yoshimoto J
Nishiyama Y → Kurita K
Novokshonova LA, Kovaleva NY, Gavrilov YA, Krasheninnikov VG, Leipunskii IO, Zhigach AN, Larichev MN, Chebunin MV: Study of energy distribution of active sites in heterogeneous Ziegler-Natta catalysts 59
Nunes RCR → Sereda L
Nunes RCR → Vieira A
Nyström B → Iversen C

Ogasawara T → Tsubokawa N
Ogawa T → Burillo G
Ohshima S → Kanbara T
Oishi T → Onimura K
Oka M → Yoshimoto J
Okay O, Balımtas NK, Naghash HJ: Effects of cyclization and pendant vinyl group reactivity on the swelling behavior of polyacrylamide gels 233
Okazaki T, Sanda F, Endo T: Syntheses and radical ring-opening polymerizations of 1,1-bis(hydroxymethyl)-2-vinylcyclopropane and 1,1-bis(methoxymethyl)-2-vinylcyclopropane 141
Oku J-i → Suga Y
Okumura H → Inui K
Ong CH, Goh SH, Chan HSO: Conductive polyaniline/poly(vinylphosphonic acid) blends 627
Onimura K, Tsutsumi H, Oishi T: Asymmetric polymerization of *N*-substituted maleimides with organolithium-bisoxazolines complex 437
Oyarzo M → Tagle LH

Palmgren O → Iversen C
Palumbo R → Bianco B
Park K-S → Lee M
Park YH → Baik DH
Pelliconi A → Collina G
Peluso G → Bianco B
Peñafiel G → Tagle LH
Peredy Z → Fekete E
Pereira GS → Lucas EF
Pérez M → Rabagliati FM
Petermann J → Katzenberg F
Petillo O → Bianco B
Pino C → Gnecco S
Pooley A → Gnecco S
Pooley SA, Canessa GS, Rivas BL, Espejo E: Spontaneous copolymerization of *N*-(2-hydroxyethyl)ethyleneimine with isatoic anhydride 407
Priddy DB → Toplikar EG
Pukánszky B → Fekete E

Quijada R → Rabagliati FM

Rabagliati FM, Pérez M, Ayal HA, Terraza CA, Quijada R: Polymerization of styrene by diphenylzinc-additive systems. Part VI: Ph_2Zn-Cp_2TiCl_2-MAO systems 693
Rabagliati FM → Terraza CA
Ramakrishnan S → Asha SK
Rannard S → Feast WJ
Ray PC → Asha SK
Rheinberger V → Moszner N
Richard G, Mingotaud A-F, Cardinaud D, Soum A: Influence of rare earth compounds on the anionic ring-opening polymerization of cyclosiloxanes 581
Rinaudo M → Desbrières J
Rivas BL → del C Pizarro G
Rivas BL, Maturana HA, Villegas S: Synthesis, characterization, and properties of an efficient and selective adsorbent to mercury(II) 445
Rivas BL, Moreno-Villoslada I: Analysis of the retention profiles of poly(acrylic acid) with Co(II) and Ni(II) 653
Rivas BL → Pooley SA
Rivero IA → Licea-Claveríe A
Rouault Y, Iliopoulos I, Audebert R: Gels of amphiphilic polyelectrolyte derivatives of poly(vinyl benzyl chloride) 741
Ruckenstein E → Zhang H

Sabnis S, Block LH: Improved infrared spectroscopic method for the analysis of degree of *N*-deacetylation of chitosan 67
Saitoh K → Tsubokawa N
Sánchez JJ → Feijoo JL
Sánchez JJ → Müller AJ
Sanda F → Okazaki T
Sandner B → Schöch M
Santana OO → Maspoch MLl
Santana OO, Maspoch MLl, Martínez AB: Plane strain Essential Work of Fracture in SENB geometry at low and high strain rates of PC/ABS blends 511
Sartori F → Collina G
Satomi N → Lee W-K
Sbarbati-DelGuerra R → Cerrai P
Schöch M, Gopp U, Steurich S, Sandner B: Comparison of calibration with poly(propylene glycol) and poly(styrene) standards in size exclusion chromatography measurements for characterization of oligo(lactone) macromonomers 721
Schultz J → Bistac S
Sereda L, Nunes RCR, Visconte LLY: Effect of phenolic resin on processing and mechanical properties of PP-NBR blends 647
Seregina M → Bronstein L
Sgarzi P → Collina G
Shin D-K → Shin S-M

Shin S, Jang J: The effect of amine/epoxy ratio on the fracture toughness of tetrafunctional epoxy resin 353
Shin S-M, Shin D-K, Lee D-C: Study of siloxane-modified epoxy resin using thermally stimulated current(II) 193
Shoemake KA → Storey RF
Shuai X, Tan H, Jedliński Z: Nonlinear biodegradable polyanhydrides synthesized from natural fatty acids through a new way 21
Silva CX → Lucas EF
Silva FM → Suarez PAZ
Slaven IV WT → Wang D
Son Y → Baik DH
Soum A → Richard G
Souza RF → Suarez PAZ
Stadler R → Bronstein L
Steurich S → Schöch M
Storey RF, Shoemake KA: Multi-arm star-branched polyisobutylene ionomers 393
Suarez PAZ, Silva FM, Souza RF, Dick YP: Stereoselective 1-3-butadiene polymerization using new titanium chelates 311
Suga Y, Itho Y, Oku J-i, Takaki M: Anionic polymerization of vinylsilanes VII. Effects of *N,N,N′,N′*-tetramethylethylenediamine on the polymerization of tetravinylsilane 287
Sundararajan G → Dhanalakshmi K
Szeto YS, Li CS, Wu XG, Chan WL: Transition temperature control of liquid crystalline poly(heptene sulphone)s 179

Tagle LH, Diaz FR, Cerda G, Oyarzo M, Peñafiel G: Polymerization by phase transfer catalysis. 22. Synthesis of poly(amide-carbonate)s and poly(amidethiocarbonate)s derived from diphenols with the amide group in the side chain 9
Takagi K, Tomita I, Endo T: Block copolymerization of alkoxyallenes with phenylallene by the living coordination system with π-allylnickel catalyst 685
Takahara A → Lee W-K
Takaki M → Suga Y
Takeuchi H → Kubo M
Takeuchi S → Kanbara T
Tamaki R, Naka K, Chujo Y: Synthesis of polystyrene/silica gel polymer hybrids by in-situ polymerization method 303
Tan H → Shuai X
Tanaka K → Lee W-K
Tande T → Iversen C
Terraza CA → Rabagliati FM
Terraza CA, Rabagliati FM: The soluble and insoluble product of diphenylzinc-water systems as initiator in styrene polymerization 29
Thaumaturgo C, Monteiro EEC: A miscibility window in PVC/EVA system 495

Thaumaturgo C, Monteiro EEC: Application of an association model to the PVC/EVA system 527
Thaumaturgo C, Monteiro EEC: Polymer-polymer interaction and modeling 519
Tinland B → Meistermann L
Tomita I → Lee J-C
Tomita I → Miyaki N
Tomita I → Takagi K
Toplikar EG, Herman MS, Buyle Padias A, Hall Jr. HK, Priddy DB: Five authentic diradicals fail to initiate vinyl polymerization 37
Tricoli M → Cerrai P
Tsubokawa N, Yoshikawa S, Maruyama K, Ogasawara T, Saitoh K: Responsibility of electric resistance of polyethyleneimine-grafted carbon black against alcohol vapor and humidity 217
Tsuda K, Hirahata W, Yokota K, Kakuchi T, Ishizone T, Hirao A: Radical polymerization of (trimethylsilylethynyl)styrene and thermal properties of polystyrene with ethynyl group 173
Tsuruta N, Nakaoki T, Hayashi H: A new method for determination of fibril volume fraction in polymer crazes by small-angle X-ray scattering 201
Tsutsumi H → Onimura K

Uragami T → Inui K

Valenzuela L → Gnecco S
Valetsky P → Bronstein L
Van Caeter P, Goethals EJ, Gancheva V, Velichkova R: Synthesis and bulk properties of poly(tetrahydrofuran)-poly(2-methyl-2-oxazoline) ABA triblock copolymers 589
Velichkova R → Van Caeter P
Vieira A, Nunes RCR, Costa DMR: Rheometrical behavior and equilibrium swelling in NR/BR/CEL II composites 117
Vikhoreva G → Desbrières J
Villegas S → Rivas BL
Visconte LLY → Sereda L

Wang C-S, Lin C-S, Lai N: Crystallization kinetics and multiple melting point phenomena of polybutylene naphthalate terephthalate (PBNT) copolyesters 185
Wang D, Liu T-J, Li C-J, Slaven IV WT: A chiral conjugated oligomer based on 1,1′-binaphthol with 3,3′-acetylene spacer 265
Wei X, Jin B, Yu X: Hot-stage wide-angle X-ray diffraction studies of the morphology of a polyurethane ionomer 729
Wu L → Chen D
Wu XG → Szeto YS

Yamamoto M → Aoki H
Yang J-S → Kim H-D
Yano T → Murakami M
Yanxiang W, Deyan S: Supermolecular structure of gelation of atactic polystyrene/carbon disulphide solutions 633
Yokota K → Tsuda K
Yoo DI → Youk JH
Yoon J-S → Lee W-K
Yoshikawa S → Tsubokawa N
Yoshimoto J, Komatsu A, Nishinaga A, Oka M, Hayashi T: Theoretical conformational analysis of tetrapeptide Ac-Cys-Pro-D-Ala-Cys-NHMe with disulfide linkage 377
Youk JH, Jo WH, Yoo DI: Molecular dimensions of poly(ethylene isophthalate) and poly(ethylene naphthalene-2,6-dicarboxylate) 257
Yu X → Chen D
Yu X → Wei X

Zeuner F → Moszner N
Zhang H, Ruckenstein E: Dendritic polymers from vinyl ether 399
Zheng J, Goh SH, Lee SY: Synthesis and thermal properties of fullerene-containing polymethacrylates 79
Zhigach AN → Novokshonova LA
Zin W-C → Kim H

Indexed in *Current Genetics*

Subject Index

AB_2 hyperbranched aliphatic polyester 347
ABA triblock copolymers 589
ABC-triblock, morphology change 361
ABS 511
Ac-Cys-Pro-D-Ala-Cys-NHMe, disulfide linkage 377
4-Acetoxystyrene 559
3,3′-Acetylene spacer 265
Acrylamide 233
Acrylates 489
Acrylic acid 535
Acrylonitrile 37
– rubber 647
Acryloyl chloride 489
Active sites, non-uniformity 59
Adamantane 15

5-Adamantylisophthalic acid 15
Adhesive performances 613
Adhesive polymers 669
Adsorbent resin, water-insoluble 445
AIBN 303, 669
Alkoxyallenes/phenylallene, π-allylnickel catalyst 685
Alkoxysilanes 303
Allyl methacrylate 661
Allylborane halide 295
Allylnickel catalyst 685
Allyloxybenzylbenzoate, hydrosilylation 317
Aluminum 567
Amide-diamines 279
Amine/epoxy ratio 353
Amino acids, biocompatible 279
Ammonium hexafluorosilicate 567
Amorphous polymer films 369
Anthracene fluorescence depolarization 109
Anthracene-9-carboxylic acid 597
Antitumor agents, polymeric 535
(Arene)$M(CO)_3$ 333
Artificial inclusion hosts 431
Aryl dihalide 677
Asymmetric polymerization 437
Atom transfer radical polymerization 559
ATRP 559
Authentic diradicals 37
3′-Azido-3′-deoxythymidine (AZT) 535
Azo compounds, bicyclic 37
Azobisisobutyronitrile (AIBN) 303, 669
AZT 535

Benzene/cyclohexane 733
Benzene permselectivity 733
Benzidine 1
Benzyl alcohol 551
BHBN 185
BHBT 185
Bicyclic monomers 669
Bicyclopentane 37
1,1′-Binaphthol, optically active oligomer 265
Biocompatibility 279
Biocompatible materials 141
Biodegradable materials 53
– –, novel 21
Biomaterials 707, 715, 747
Bis(cyclopentadienyl)zirconium dichloride 567
1,1-Bis(hydroxymethyl)-2-vinylcyclopropane 141
1,1-Bis(methoxymethyl)-2-vinylcyclopropane 141
1,2-Bis(4-phenylethynylphenyl)ethane 677
Bisallene compounds, haloboration 295
Bishydroxybutyl naphthalate 185
Bishydroxybutyl terephthalate 185
Bismaleimides 165
Bisoxazoline 437
Bisphenol A 9
1,3-Butadiene, titanium chelates 311
1,4-Butanediol 15
n-Butoxyallene 685
3-(*t*-Butoxycarbonyl)-1-vinylcaprolactam 423
3-(*t*-Butoxycarbonyl)-1-vinyl-2-pyrrolidone 423
n-Butyl methacrylate 611

Camphorsulfonyloxymaleimide 423
Carbocationic polymerization 393
Carbon black, vinyl polymers 217
Carbon disulphide, polystyrene 633
Carbonate 9
Cashew nut shell distillate 647
Cassia javanica, galactomannan 621
Cast films 93
Catalysts 241
Cellulose 117, 543, 597
Cellulosics, fluorescence active 597
Chelates, ternary titanium 311
Chiral conjugated oligomer, 1,1′-binaphthol/3,3′-acetylene spacer 265
Chitin 67
–, β-galactoside branches 543
–, derivatives, amphiphilic 209
Chitosan, *N*-deacetylation 67
–, β-galactoside branches 543
–, hydrophobically modified 747
Cholestanyl undecylenic ester 179
Cholesteryl undecylenic ester 179
Chronoamperometry 225
Cobaltacyclopentadiene 415
Composite film 473
Conducting polymers 473
– –, intrinsically 755
Conductors, metallic 473
Copolyesters, amorphous 503
Cp_2ZrCl_2 567
Crazes 201
Crystallization, molecular segregation 465
Cumyl chloride/$TiCl_4$/pyridine 393
Cyclohexene oxide 573
Cyclophane, poly(*tert*-butyl acrylate)-coupled 431
Cyclopropane 141
Cyclosiloxanes, anionic ring-opening polymerization 581
Cys-Pro-D-Ala-Cys 377
Cytotoxicity 535

DDEN-T 503
Deeply double-edge notched specimens 503
Degree-of-disorder 193
Dendritic polymers 399
3,5-Diamino-1,2,4-triazole 1
1,4-Diaminoanthraquinone 1
2,3-Diaminopyridine 1
Dicarboxylic acids, C10/C14 279

N-(2,6-Dichloro-4-nitrophenyl)-2,2-bis(hydroxyphenyl)propylamide 9
N,N'-Dicyclohexylcarbodiimide 217
3,6-Diethynyl-9-hexylcarbazole 453
Diffusion coefficient measurements 225
4,4'-Diiodobiphenyl 677
Diisopropylphenylphosphine 551
4-(Diisopropylphenylphosphinyl)styrene 551
Dimethacrylate, bicyclic 669
2,2'-Dimethoxy-1,1'-binaphthalene 265
Dimethyl 5-adamantylisophthalate 15
N,N'-Dimethyl acetamide 93
Dimethyl acrylamidemethyl methacrylate 733
2,2'-Dimethyl-4-methoxy-4'-[undecanyloxy-4-benzoyl]ester biphenyl 149
N,N'-Dimethylacetamide 597
Dimethylformamide 669
1,2-Diphenylacetylene 677
Diphenylbromoborane 295
Diphenylzinc-biscyclopentadienyltitanium dichloride-MAO 693
Diphenylzinc-water systems 29
Diradicals, authentic 37
Divinylbenzene 393
Diyne 677
DMF/polyacrylonitrile gels 225
1,2,10,11-Dodecatetraene 295
Double yielding process 125
Drug release 707, 715
Dynamic light scattering 101
Dynamical relaxation 101

ECEPP 377
Elasto-plastic fracture mechanics 511
Elastomer, thermoplastic 249
Elastomeric blends 117
Electric resistance 217
Electroactive probe diffusion 225
Electroconductivity 1, 473, 627, 677
Electrophilic monomer 407
Enantiomer selective polymerization 437
Endothelin release 53
EPFM 511
Epoxy molding compounds 193
Epoxy resin, siloxane-modified 193
– –, tetrafunctional 353
Essential work of fracture 503
Ethylene/α-olefin 465
Ethylene/propylene 133
Ethylene polymerization 567
Ethylene vinylacetate 613
Euphorbia lactiflua, natural rubber 605
EVA 495, 519, 527, 613
Exo-3,6-epoxy-1,2,3,6-tetrahydrophthalic glycinylimide 535

Fatty acid chlorides 21
Fatty acids, natural 21
Ferrocene 225
Fibril volume fraction 201
Film casting, high temperature polymers 93
Fineman-Ross method 165
Flory-Huggins parameter 527
Fluorescence depolarization 109
Fluorescence recovery after photobleaching 101
Fluorescence spectroscopy 597
5-Fluorouracil 707
Fracture, essential work of 249
Fracture systems, ductile 511
Fracture toughness 353
– –, ductile polymers 503
Friction transfer 761
Fullerene 79, 611
Furfuryl methacrylate 669

Galactomannan, *Cassia javanica* 621
Gels 109, 741, 747
Group 4 metal alkyl complexes 325

Haloboration polymerization 295
HDPE 125
Heavy metal ions, adsorption 445
Helix, polypeptides 45
Helix sense selective polymerization 437
Hexamethylcyclotrisiloxane 581
High-density polyethylene 125
HM-chitosan 747
Homopolyanhydrides 21
Host-guest complex 431
Human leukemia 535
Hydride 677
Hydrogels 233
Hydrosilylation 317
N-(2-Hydroxyethyl)ethyleneimine, isatoic anhydride 407
6-Hydroxyhexanoic acid 53
Hyperbranched molecular structure 399
HYTREL 5556 249

Immunoadjuvant 543
Interpenetrating polymer networks 339
Interpolymer complex formation 45
Iodobenzene 677
Ionomers 729
IPN 339
Isatoic anhydride 407
Isobutylene, living 393
Isopropyl alcohol 233

K562 human leukemia 535
Kelen-Tüdos method 165
Ketenacetals, difunctional 7-membered cyclic 271

Lactic acid 53
Lactones, ring-opening polymerization 721
Laser 347
Lateral force microscopy 369

Latex, *Euphorbia lactiflua* 605
LC polymers 489
LCST 527
LEFM 511
Linear elastic fracture mechanics 249, 511
Linear-low density polyethylene 125
Liquid-phase polymer based retention 653
LLDPE 125
Lysozyme 543

MALDI-TOF MS 347
Maleic anhydride 669
Maleimides 165
–, *N*-substituted, asymmetric polymerization 437
N-Maleyl glycine 165
MAO 325
Martin-type pentacoordinate silicates 573
Melt-sheared films 701
Membrane separation techniques 733
Mercury (II), selective adsorbent 445
Metal/polymer interface 761
Metal alkoxides 303
Metallocene/MAO 567
Metallocenes 241
Methacrylates, bicyclic functionalized 669
Methacryloyl chloride 535
5′-*O*-Methacryloyl-3′-azido-3′-deoxythymidine 535
[2-(Methacryloyloxy)ethyl] trimethyl ammonium chloride 445
Methyl methacrylate 611
Methylaluminoxane (MAO) 325
N,*N*′-Methylenebis(acrylamide) 233, 445
Methyltrivinylsilane 287
Methylzirconium complexes 325
Microphase morphology 361
Microwave 333
Molecular packing 701
Monomethacrylates, bicyclic 669
Monte Carlo technique 385
Multicatalysts reactor granule technology 241
Multivinylsilanes 287

Natural rubber 605
– –/butadiene rubber/cellulose II 117
Nitrous acid reaction 459
NLO 157
– chromophores, twin 481
Non-uniformity 59
Nonlinear optical activity 481
Nonlinear optical materials 453
Nonlinear optics 157
NR/BR/CEL II 117
Nucleophilic monomer 407

Octamethylcyclotetrasiloxane 581
n-Octyloxyallene 685
Olefin polymerization 59
Olefinic moieties 141
Oligo(lactone) macromonomers, SEC 721
Organoboron polymers, haloboration 295
Organocobalt polymers 415
Organolithium-bisoxazoline 437

PAA 45
PAAC-drug composites 707, 715
PBI 93
PBNT 185
PBT 15
PC/ABS blends 511
PCl_3 133
PEN 257
Peptides 377
PET 15, 257, 613
Phase transfer catalysis 9
Phenylacetylenes, microwave assisted polymerization 333
Phenylalanine 279
Phenylallene 685
Photoacid-generating polymers 423
Photobleaching 101
Photoresists 453
N-Phthaloyl-chitosan 543
Plane-stress fracture toughness 503
PMAD 85
PMMA 85, 109, 361, 369
Poly(4-acetoxystyrene) 559
Poly(*N*-acetyl-glucosamine) 209
Poly(acrylamide-*g*-ethylene oxide) 73
Poly(acrylamide-*g*-propylene oxide) 73
Poly(acrylic acid) 179
–, Co(II)/Ni(II) 653
Poly(acrylic acid)/cyclophane 431
Poly(acrylic acid-co-acrylamide) 459
Poly(alkyl methacrylate)s, fullerene-containing 661
Poly(allylammonium acrylate), drug-releasing matrix 707, 715
Poly(amide-carbonate)s 9
Poly(amide-thiocarbonate)s 9
Poly(arylenebutadiynylene)s 453
Poly(azomethine)s, (*n*-alkoxy)methyl side chains 701
Poly(*tert*-butyl acrylate), carboxyl-terminated 431
Poly(butylene terephthalate) 15
Poly(ε-caprolactone)-*block*-poly(oxyethylene)-*block*-poly(ε-caprolactone) 53
Poly(carboxylic acids) 45
Poly(diethyl-3-hydroxyglutarate), MALDI-TOF MS 347
Poly(dimethyl acrylamide)-*graft*-poly(methyl methacrylate) 733
Poly(dimethyl acrylamide-*random*-methyl methacrylate) 733
Poly(ester-carbonate)s 9
Poly(ester-ether-ester) 53
Poly(ester-thiocarbonate)s 9

Poly(ethylene isophthalate) 257
Poly(ethylene naphthalene-2,6-dicarboxylate) 257
Poly(ethylene oxide) 73
Poly(ethylene terephthalate) 15
Poly(ethylene-*co*-vinyl acetate) 519
Poly(ethynylpyridine)s 415
Poly(ethynylstyrene-*co*-styrene) 173
Poly(ethynylstyrene) 173
Poly(heptene sulphone)s, liquid crystalline 179
Poly(9-hexylcarbazole-3,6-diylbutadiynylene) 453
Poly(*N*-maleyl glycine-*co*-*N*-vinylpyrrolidone) 165
Poly(methacrylic acid)s, thermal behavior/stereoregularity 85
Poly(methyl acetate) 369
Poly(methyl methacrylate) 179, 369
–, local motion of crosslinks 109
Poly(methyl methacrylate-*co*-2-bromoethyl methacrylate) 79
Poly(methylalkylsiloxane)s 179
Poly(L-proline) 45
Poly(propylene glycol), SEC 721
Poly(propylene oxide) 73
Poly(pyridine)s 415
Poly(pyridine-diyl-*alt*-biphenyl 4,4′-diyl) 415
Poly(styrene), SEC 721
Poly(tetrahydrofuran)-poly(2-methyl-2-oxazoline) 589
Poly(vinyl acetate) 369
Poly(vinyl benzyl chloride), amphiphilic polyelectrolyte 741
Poly(vinyl chloride) 519
Poly(vinyl ether)s 149
Poly(vinylphosphonic acid) 627
Poly(vinylpyridine)s 415
Polyacryamide gels, swelling 233
Polyacrylamide into polyacrylic acid 459
Polyacrylamide, polyalkyleneoxide 73
Polyacrylic acid 45, 459
Polyacrylonitrile 225
Polyalkyleneoxide 73
Polyamides, biodegradable aliphatic 279
Polyamphiphiles 741
Polyanhydrides 21
Polyanhydrides, nonlinear biodegradable 21
Polyaniline/poly(vinylphosphonic acid), conductive 627
Polyaniline, undoped 755
Polyazomethine conducting polymers/oligomers 1
Polybenzimidazole 93
1,2-Polybutadiene 361
cis-1,4-Polybutadiene 311
Polybutylene naphthalate terephthalate copolyesters 185
Polycarbonates 9
Polydimethylsiloxanes, acid-terminated 317
Polydispersity 385
Polyelectrolyte complexes 707,715
Polyelectrolytes, amphiphilic 741
Polyesters, aliphatic 21
–, side chain liquid crystalline 157
Polyethylene films, blown, double yielding 125
– –, side chain liquid crystal monomers 489
Polyethylene terephthalate (PET) 613
Polyethyleneimine-grafted carbon black 217
Polyimide 93
Polyisobutylene ionomers, multi-arm star-branched 393
Polyisoprene 369
Polymalonate, nematic liquid crystalline 157
PolyMeOX 589
Polymer crazes 201
Polymer drugs 535
Polymer films 613
Polymer gels 109
Polymer-metal complexes 653
Polymer-polymer interaction/modeling 519
Polymer-solvent mixtures 495
Polymeric reagents 551
Polymethacrylates, fullerene-containing 79
Polymethacrylic acid, atactic 45
Polymethylmethacrylate/polyurethane 339
Polyolefins 241, 567
–, elastomeric 133
Polypeptides 45
Polyphenylacetylene (PPA) 333
Polypropylene 133, 325, 647
–, extrinsic space charges 639
–, thermoplastic elastomeric 385
Polypyrrole/copolyester composite films, conductivity 473
Polysaccharides 543, 621, 747
–, natural 209
Polysiloxanes 581
Polysters, adamantyl groups 15
Polystyrene 29, 559
–, crosslinking 173
–, syndiotactic 693
Polystyrene/carbon disulphide, atactic 633
Polystyrene/ethynyl group 173
Polystyrene/polystyrene/toluene 101
Polystyrene/silica gel 303
Polystyrene-*block*-polybutadiene-*block*-poly(methyl methacrylate) 361
Polysulphones 179
PolyTHF 589
Polythiocarbonates 9
Polyurethane ionomer, hot-stage WAXD 729
Polyurethane/polymethylmethacrylate 339
Poly[(trimethylsilylethynyl)styrene] 173
Poly[2,2′-(*m*-phenylene)-5,5′-bibenzimidazole] 93
Post-yield fracture mechanics 503
PP-NBR blends, phenolic resin 647

PPA 333
Proline, polyproline helix 45
Propylene 325
Propylene-based polymers 241
Proteins, artificial 377
PTFE substrates, vapor deposited 761
PVA 495
PVC/EVA, association model 527
–/–, intermolecular interaction 519
–/–, miscibility window 495
PVPA 627

Reactive polymers 551
Relaxation map analysis 193
Resists, single-component 423
Ricinoleic acid 21
Rotational isomeric state 257
Rubber 241
Rubber latex-cellulose xanthate 117
Rubber-plastic blends 647

SAXS 201
rac-(SBI)Zr(NMe_2)$_2$, propylene 325
Scanning force microscopy, adhesive performances 613
SCLCP 149, 179
Second harmonic generation efficiencies 481
Semiconductors 473
Semicrystalline polymer substrates 761
SENB geometry 511
Serum albumin 707
SFM 613
SHG efficiencies 481
Shrinkage, zero 271
Silica gel 303
Silicates, pentacoordinate Martin-type 573
Silicon compounds, hypercoordinate 573
Silicones 581
Siloxane oligomer, aminopropyl-terminated 193
– –, oxiranylmethoxy-terminated 193
Size exclusion chromatography (SEC), oligo(lactone) macromonomers 721
Small-angle X-ray scattering 201
Sodium azide 611
Sodium diethyl benzylmalonate 677
Sol-gel reaction 303
Solution-cast films 701
Stille coupling reaction, palladium-catalyzed 265
Styrene 29, 37, 559
–, diphenylzinc-additive systems 693
Successive self-nucleation/annealing 465
Supramolecular association 317
Surfactants 741
Syndiotacticity 693

Tacticity 639
Temperature programmed desorption 59
Terephthaldehyde 1
1,6,20,25-Tetraaza[6.1.6.1]paracyclophane 431
Tetracycline 707, 715
Tetramethoxysilane 303
N,N,N′,N′-Tetramethylethylenediamine 287
Tetravinylsilane 287
Thermal stimulated discharge current (TSDC) 639
Thermally stimulated current (TSC) 193
Thermoset resins 165
Thermostable polymers 9
Thermotropic side chain liquid crystalline polymers (SCLCP) 149, 179
Thiocarbonate 9
Three-component coupling, palladium-catalyzed 677
TiC bonds 59
$TiCl_4/MgCl_2$ 133
Titanium catalysts 133
Titanium chelates, butadiene 311
Titanium(IV) butoxide 347
TMEDA 287
Tolane-containing alcohols 489
Tribromoborane 295
Trimethyl-2-naphthylmethylammonium 431
(Trimethylsilylethynyl)styrene 173
Triphenylphosphine 685
Triphosgene 551

Ultrathin films 761
UM-chitosan 747

Vacuum-melt polycondensation 21
Vasoconstrictor-vasodilator 53
Vinyl ether, dendritic polymers 399
Vinyl ether monomer, mesogenic 149
Vinyl polymerization 37
Vinyl polymers, carbon black 217
Vinyllactams, *t*-BOC protected 423
1-[(2-Vinyloxy)ethoxy]ethyl acetate 399
Vinylpyrrolidone 165
Vinylsilanes, anionic polymerization 287
Viscosity modifier 73
Vitamin B_{12} 707, 715
Vulcanization 117

Water soluble systems 209
WAXS/WAXD 701
–, polyurethane ionomer 729
Wide-angle X-ray diffraction, hot-stage 729

Zeolite 567
Zero shrinkage 271
Ziegler-Natta catalyst, butadiene 311
– –, heterogeneous 59
– –, $TiCl_4/MgCl_2$ 133